

HI-FI DOME TWEETER



**HT-3001**  
**Size (mm):** 85 × P74  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-3012**  
**Size (mm):** 89L+64W×P88+P48  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3002**  
**Size (mm):** 85 × P74  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-3014**  
**Size (mm):** 104 × P94  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3003**  
**Size (mm):** 85 × P74  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-3016**  
**Size (mm):** 95 × P107  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3004**  
**Size (mm):** 85 × P74  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-3017**  
**Size (mm):** 100 × P96  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3005**  
**Size (mm):** 80 × P90  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-3019**  
**Size (mm):** 110 × P98  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3009**  
**Size (mm):** 104 × P88  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-3020**  
**Size (mm):** 102 × P91  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3020-2**  
**Size (mm):** 102 × P92  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3028**  
**Size (mm):** 100 × P91  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite

HI-FI DOME TWEETER



**HT-3022**  
**HT-3022**  
**Size (mm):** 102L+78W×P106+P62  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3029**  
**HT-3029**  
**Size (mm):** 100 × P89  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3023**  
**HT-3023**  
**Size (mm):** 100 × P88  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3030**  
**HT-3030**  
**Size (mm):** 95 × P82  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3024**  
**HT-3024**  
**Size (mm):** 107 × P94  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3031**  
**HT-3031**  
**Size (mm):** 104 × P94  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3027**  
**HT-3027**  
**Size (mm):** 94 × P87.5  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3032**  
**HT-3032**  
**Size (mm):** 102 × P89  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3033**  
**HT-3033**  
**Size (mm):** 108 × P92  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3032-2**  
**HT-3032-2**  
**Size (mm):** 101 × P89  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3034**  
**HT-3034**  
**Size (mm):** 100L + 95W × P100 + P50  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3045**  
**HT-3045**  
**Size (mm):** 103 × P88  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3035**  
**HT-3035**  
**Size (mm):** 110 × P97  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3048**  
**HT-3048**  
**Size (mm):** 102 × P92  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite

HI-FI DOME TWEETER



**HT-3038**  
**Size (mm):** 110 x P96  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3049**  
**Size (mm):** 102 x P92  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3039**  
**Size (mm):** 95 x P93.5  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3050**  
**Size (mm):** 102 x P93  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3042**  
**Size (mm):** 95 x P96  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3053**  
**Size (mm):** 100 x P91  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3055**  
**Size (mm):** 98 + 85 x P89  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3054**  
**Size (mm):** 100 x P90  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3056**  
**Size (mm):** 100 x P87  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-3063**  
**Size (mm):** 94 x P82  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-3057**  
**Size (mm):** 96 x P84  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-3064A**  
**Size (mm):** 94 x P80  
**V.C. (mm):** 20  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3058N**  
**Size (mm):** 97 x P85  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-3064B**  
**Size (mm):** 94 x P86  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite


HI-FI DOME TWEETER



**HT-3059**  
**Size (mm):** 94 × P86  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-3066**  
**Size (mm):** 94 × P83  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-3061N**  
**Size (mm):** 100 × P85  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-3067N**  
**Size (mm):** 74 × P61  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-3070 (01296)**  
**Size (mm):** 100 × P84  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3069**  
**Size (mm):** 100 × P84  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3071N**  
**Size (mm):** 100 × P85  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-3078**  
**Size (mm):** 104 × P95  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3072**  
**Size (mm):** 104 × P95  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3080**  
**Size (mm):** 110 × P97  
**V.C. (mm):** 28  
**Max. Power (W):** 50  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 88 ± 2  
**Magnet:** Ferrite



**HT-3073**  
**Size (mm):** 103 × P94  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3081**  
**Size (mm):** 120 × P98  
**V.C. (mm):** 30  
**Max. Power (W):** 50  
**Freq. (Hz):** 1K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3074**  
**Size (mm):** 104 × P94  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3083**  
**Size (mm):** 108 × P103 × P46  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite

HI-FI DOME TWEETER



**HT-3076**  
**Size (mm):** 119 x P124  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3086**  
**Size (mm):** 104 x P94  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3096**  
**Size (mm):** 102 x P91  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3094**  
**Size (mm):** 100 x P91  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3100**  
**Size (mm):** 103 x P104  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3125**  
**Size (mm):** 104 x P96  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3107**  
**Size (mm):** 100 x P103  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3130**  
**Size (mm):** 104 x P92  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3109**  
**Size (mm):** 89L+64W×P88+P48  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3132N**  
**Size (mm):** 89L+64W×P88+P48  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-3119**  
**Size (mm):** 110 x P100  
**V.C. (mm):** 28  
**Max. Power (W):** 50  
**Freq. (Hz):** 1K-20K  
**SPL (dB):** 88 ± 2  
**Magnet:** Ferrite



**HT-3134**  
**Size (mm):** 126L+90W×P120+P74  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3123(AL)**  
**Size (mm):** 92L+68W×P91+P51  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3135**  
**Size (mm):** 103 x P92  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite

HI-FI DOME TWEETER



**HT-3136**  
**Size (mm):** 110xW84xP100+P48  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3143**  
**Size (mm):** 103 × P92  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3137**  
**Size (mm):** 104 × P93  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3144**  
**Size (mm):** 103 × P93  
**V.C. (mm):** 28  
**Max. Power (W):** 50  
**Freq. (Hz):** 1K-20K  
**SPL (dB):** 88 ± 2  
**Magnet:** Ferrite



**HT-3138**  
**Size (mm):** 92LxW90xP92  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3145**  
**Size (mm):** 103 × P93  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3139**  
**Size (mm):** 105L+95WxP97  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3146**  
**Size (mm):** 103 × P93  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3140**  
**Size (mm):** 104 × P96  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3147**  
**Size (mm):** 110 × P103  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3141**  
**Size (mm):** 103 × P93  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3148**  
**Size (mm):** 99 × P90  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3152**  
**Size (mm):** 103 × P88  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3159N**  
**Size (mm):** 74 × P85  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 88 ± 2  
**Magnet:** Neo

HI-FI DOME TWEETER



**HT-3155**  
**Size (mm):** 110 x P97  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3161N**  
**Size (mm):** 76 x P60  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-3156**  
**Size (mm):** 104 x P89  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3162**  
**Size (mm):** 98 x P85  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-3157**  
**Size (mm):** 94 x P86  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3163**  
**Size (mm):** 104 x P92  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3158N**  
**Size (mm):** 74L+58W×P60  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-3165**  
**Size (mm):** 98 x P100  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3167**  
**Size (mm):** 103 x P91  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3166**  
**Size (mm):** 103 x P93  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3168**  
**Size (mm):** 120L+90W×P125+P72  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3178**  
**Size (mm):** 114L+80W×P117+P59  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3171**  
**Size (mm):** 120 x P104  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-3263**  
**Size(mm):** 74 (O.D.)  
**V.C. (mm):** 8  
**Max. Power (W):** 40  
**Freq. (Hz):** 500-18K  
**SPL (dB):** 92±3 (1M/1W)  
**Magnet (Oz):** 8

HI-FI DOME TWEETER



**HT-3172**  
**Size (mm):** 100 x P91  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-4008**  
**Size (mm):** 74 x p60  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** F0-20K  
**SPL (dB):** 92 ± 3  
**Magnet:** Ferrite



**HT-3173**  
**Size (mm):** 110 x P98  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-4010**  
**Size (mm):** 74 x p60  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-3077N**  
**Size (mm):** 94 x P80  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-4011**  
**Size (mm):** 80 x p96  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4014**  
**Size (mm):** 58 x p67  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4012**  
**Size (mm):** 58 x p67  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4014A**  
**Size (mm):** 51 x p60  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4022B**  
**Size (mm):** 49  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4015**  
**Size (mm):** 60 x p57  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4023**  
**Size (mm):** 85 x p74  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4015A**  
**Size (mm):** 60 x p57  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4026**  
**Size (mm):** 100 x p88  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



HI-FI DOME TWEETER



**HT-4021**  
**Size (mm):** 89L+64W×P88+P48  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4026A**  
**Size (mm):** 100L+83W×P88  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4022A**  
**Size (mm):** 48  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4027A**  
**Size (mm):** 100L+83W×P88  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4029**  
**Size (mm):** 85+69W×P75  
**V.C. (mm):** 14  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4028**  
**Size (mm):** 87 × P73  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4030**  
**Size (mm):** 85 × P75  
**V.C. (mm):** 14  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4035**  
**Size (mm):** 74 × P60  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4031**  
**Size (mm):** 85 × P75  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4036**  
**Size (mm):** 74 × P60  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4033**  
**Size (mm):** 74L+64W×P81+P51  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4037**  
**Size (mm):** 74 × P63  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4033A**  
**Size (mm):** 74L+64W×P81+P51  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4038**  
**Size (mm):** 74 × P60  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite

HI-FI DOME TWEETER



**HT-4034**  
**Size (mm):** 74 × P60  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4048N**  
**Size (mm):** 72L+42W×P61  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-4062**  
**Size (mm):** 74 × P60  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4060**  
**Size (mm):** 74 × P64  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4066**  
**Size (mm):** 105 × P74  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4067**  
**Size (mm):** 82L+62W×P75+P42  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4105**  
**Size (mm):** 105 × P93  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite




**HT-4106**  
**Size (mm):** 74 × P60  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-01178-1**  
**Size:** 25mm  
**Cone:** Cloth Dome  
**V.C. Imp. (Ohm):** 8  
**Max. Power (W):** 20  
**Freq. (Hz):** 1500  
**SPL (dB):** 92



**HT-01178-2**  
**Size:** 25mm  
**Cone:** Cloth Dome  
**V.C. Imp. (Ohm):** 6  
**Max. Power (W):** 20  
**Freq. (Hz):** 1300  
**SPL (dB):** 92



**HT-01111**  
**Cone:** Silk  
**V.C. Imp. (Ohm):** 8  
**Max. Power (W):** 40  
**Freq. (Hz):** F0-20K  
**SPL (dB):** 90  
**V.C. (mm):** 25



**HT-01098**  
**Size:** 0.8" (39mm)  
**Cone:** Silk  
**V.C. Imp. (Ohm):** 4  
**Max. Power (W):** 30  
**Freq. (Hz):** 1800  
**SPL (dB):** 89  
**V.C. (mm):** 20.4

HI-FI DOME TWEETER



**HT-01099**  
**Size: 0.8" (31mm)**  
**Cone: Silk**  
**V.C. Imp. (Ohm): 4**  
**Max. Power (W): 30**  
**Magnet (Oz): 0.16**  
**Freq. (Hz): 1800**  
**SPL (dB): 89**  
**V.C. (mm): 20.4**



**HT-NO4040FA4**  
**Size: 46mm**  
**Cone: Foam Edge**  
**V.C. Imp. (Ohm): 4**  
**Max. Power (W): 4**  
**Magnet (Oz): 0.37**  
**Freq. (Hz): 160-16K**  
**SPL (dB): 83**  
**V.C. (mm): 20**



**HT-3065**  
**Size: 50mm**  
**Cone: Black Silk**  
**V.C. Imp. (Ohm): 4**  
**Max. Power (W): 30**  
**Magnet (Oz): 0.16**  
**Freq. (Hz): F0-18K**  
**SPL (dB): 87**  
**V.C. (mm): 20**



**HT-3247**  
**Size: 52mm**  
**Cone: Black Silk**  
**V.C. Imp. (Ohm): 4**  
**Max. Power (W): 30**  
**Magnet (Oz): 0.16**  
**Freq. (Hz): 1800-18K**  
**SPL (dB): 87.5**  
**V.C. (mm): 20**



**HT-01179**  
**Size: 74mm**  
**Cone: Glassfiber+Silk Edge**  
**V.C. Imp. (Ohm): 4**  
**Max. Power (W): 20**  
**Magnet (Oz): 0.04**  
**Freq. (Hz): 3000-16K**  
**SPL (dB): 87.9**  
**V.C. (mm): 13**



**HT-4086**  
**Size: 42\*27mm**  
**Cone: Mylar**  
**V.C. Imp. (Ohm): 6.2**  
**Max. Power (W): 20**  
**Magnet (Oz): 0.03**  
**Freq. (Hz): 3000-18K**  
**SPL (dB): 85**  
**V.C. (mm): 11**



**HT-4026A**  
**Size (mm): 100+83x88**  
**V.C. (mm): 13**  
**Max. Power (W): 20**  
**Freq. (Hz): 2K-20K**  
**SPL (dB): 90 ± 2**  
**Magnet: Ferrite**



**HT-3155**  
**Cone: Teton**  
**V.C. Imp. (Ohm): 8**  
**Max. Power (W): 40**  
**Freq. (Hz): F0-20K**  
**SPL (dB): 91**  
**V.C. (mm): 25**



**HT-4161**  
**Size: 60\*45mm**  
**Cone: Black Mylar**  
**V.C. Imp. (Ohm): 8**  
**Max. Power (W): 15**  
**Magnet (Oz): 0.80**  
**Freq. (Hz): 1800-20K**  
**SPL (dB): 86**  
**V.C. (mm): 13**



**HT-48R**  
**Size (mm): 47**  
**Nom Imp. (Ohm): 4**  
**Eff. Freq. (Hz): F0-20K**  
**SPL (dB): 87 ± 3**  
**Max Power (W): 60**  
**Nom Power (W): 30**  
**Magnet (mm): 39\*22\*8**



**HT-01111-1**  
**Size (mm): 37**  
**Nom Imp. (Ohm): 8**  
**Eff. Freq. (Hz): F0-20K**  
**SPL (dB): 92 ± 3**  
**Max Power (W): 40**  
**Magnet (mm): 24.5\*3.5**  
**V.C. (mm): 25**



**HT-3212**  
**Size (mm): 109**  
**Nom Imp. (Ohm): 8**  
**Eff. Freq. (Hz): F0-20K**  
**SPL (dB): 90 ± 3**  
**Max Power (W): 40**  
**Magnet (mm): 70\*32\*10**  
**V.C. (mm): 25**

**HI-FI DOME TWEETER**



**HT-3067**

**Size (mm):** 37

**Nom Imp. (Ohm):** 8

**Eff. Freq. (Hz):** F0-20K

**SPL (dB):** 95 ± 3

**Max Power (W):** 40

**Nom Power (W):** 20

**Magnet (mm):** 24.5\*3.5

**V.C. (mm):** 25