

揚聲器製品規格書

SPEAKER SPECIFICATION

Neodymium Woofer

HT-15ND75-1



Model : HT-15ND75-1

specifications		thiele & small parameters		mounting information	
Size	385mm(15in)	Fs	37 Hz	Overall Diameter	388mm(15.3in)
Impedance	8Ω	Re	5.0Ω	Bolt Circle Diameter	369mm(14.5in)
D.C.Resistance	5.0Ω	Qes	0.35	Baffle Cutout Diameter	354mm(13.9in)
Nominal Power	400w	Qms	8.10	Depth	170mm(6.7in)
Maximum Power	800w	Qts	0.34	Flange and Gasket Thickness	12mm(0.47in)
Sensitivity(1W/1m)	96.6dB	Vas	221 Ltr	shipping information	
Frequency Range	Fs-2.0KHz	Sd	855cm ²	Net Weight	3.8kg(8.5lb)
Voice Coil Diameter	75mm (3 in)	Xmax	±3.0mm	Shipping Weight	4.6kg(10.2lb)
Winding Material	Aluminium	Mms	90g	Shipping Box	410*410*190mm
Former Material	Glass Fibre	Bl	17.0 T.m		(16.1*16.1*7.4in)
Winding Depth	16mm (0.63 in)	Le	427m mH		
Magnetic Gap Depth	10mm(0.40 in)				
Flux Density	1.25T				
Magnet Material	NNeodymium Inside Slug				

Also available in 4Ω and 16Ω , data upon request

SPL vs Freq



Impedance vs Freq

